



home
automation



lighting



electric



furniture

ORNO[®]

LIVING INNOVATIONS



DATA SHEET

Battery operated smoke detector

symbol: OR-DC-630

Manufacturer:
ORNO-LOGISTIC Sp. z o.o.
ul. Rolników 437, 44-141 Gliwice
tel: 32 43 43 110
www.orno.pl

ISBN 5900378654537



5 900378 654537 >

The main features:

The detector is designed to monitor closed rooms for the presence of smoke and early fire detection. Photoelectric sensor located in the unit detects visible smoke produced in the initial, flameless stage the fire, optical and audible notification, TEST button allows you to check the correctness of the sensor, low battery indication, compliance with EN 14604: 2005 + AC1: 2008 confirmed by the certification body BSI-KM550646.



TYPE OF POWER
SUPPLY:
via battery



type

TYPES OF DETECTED
THREATS:
smoke



test

TEST BUTTON:
tak



Low battery
indication



ALARM VOLUME (DB):
≥85/3m



LIFE TIME OF THE
SENSOR:
10 years



EN 50291

COMPLIANCE WITH
STANDARDS:
EN
14604:2005/AC1:2008

Technical specifications:

General Information

Type of power supply:	via battery
Power supply:	1 x 9V
Battery included:	yes
Types of detected threats:	smoke
Type of sensor:	photoelectric
Display:	✗ no

Test button:	tak
Hush button :	✗ no
Low battery indication:	✓ yes
Failure indication:	✗ no
End of life indication:	✗ no
Alarm volume (db):	≥85/3m
Life time of the sensor:	10 years
Compliance with standards:	EN 14604:2005/AC1:2008
Dimensions (width x height x depth [mm]):	Ø107 / 35
Other features:	BSI certificate