near sens



Smart Plug Mini Monitor and control electrical appliances

The smart plugs have various applications for home care, security, home automation, or energy management solutions. A smart plug can monitor and control home electronics, reduce standby consumption, monitor energy use, create on/off schedules for electronic devices, and turn devices on or off remotely.

Key features are:

- Current and temperature protection
- 100.000 switching no loss of performance
- Precision power meter (Class 2)
- Safe mode (auto on/off)
- Alarm @ power cut
- Two fits in Norwegian std. dualpower outlet


The smallest smart plug

Develco Products' Smart Plug Mini is the world's smallest smart plug. It provides real-time measurement and communication. The Smart Plug Mini is Zigbee certified and does not require any installation – the user just has to insert it into an electrical outlet, plugin the wanted electrical device, and connect the Smart Plug Mini to a gateway.

The Smart Plug Mini offers many different options depending on the software and is the ideal choice for any IoT solution.

- World's smallest smart plug
- Zigbee certified
- Easy installation

The Smart Plug Mini is based on Zigbee communication and can easily be integrated with other Zigbee products or smart control solutions. The Smart Plug Mini is OTA upgradeable, which greatly increases the longevity of the product.







Smart Plug Mini - Technical specifications

Model numbers: SPLZB-131 (Schuko), SPLZB-132, (FR), SPLZB-134 (UK), SPLZB-137 (DK)

General	
Dimensions (Ø x H)	Ø41 X 45 mm (Type G 48 X 48 X 32 mm)
Color	White
Plug types	Schuko, Danish, French, British
Power supply	230V +/-10%
Power consumption	0.4 W
Radio	Sensitivity: -101 dBm @ 1% PER
	Output power: +8 dBm
Environment	IP class: IP40
	Operation temperature 0 to +50°C
	Relative humidity 5% - 85%, non condensing
Functions	
Power meter	Voltage range: 207 to 253 VAC
	Accuracy: Typ +/- 1 %
	Reported resolution: 1W
Remote control	Max. switch voltage: 250 VAC
	Max. load: 16 A
	Max. continuous load: 10 A (Type G 13 A)
	Overload and over temperature protection
Communication	
Wireless protocol	Zigbee Home Automation 1.2
	Zigbee router
Certifications	Conforming to CE, RED, Low Voltage and RoHS directives
	Zigbee Home Automation 1.2 certified

