

DATA SHEET

Smoke detector MINI with built-in lithium battery

symbol: OR-DC-628




Manufacturer: ORNO-LOGISTIC Sp. z o.o. ul. Rolników 437, 44-141 Gliwice tel: 32 43 43 110

www.orno.pl

The main features:

The world's smallest battery-operated smoke detector designed for a continuous monitoring of presence of smoke and early detection of fire. Photoelectric sensor located in unit detects visible smoke produced in the initial, flameless stage of fire. Equipped with a low battery indication, TEST/HUSH button and visual and sound alarm. It complies with the EN 14604: 2005 + AC1: 2008 standard, confirmed by the BSI-KM514007 certification body. Simple installation and operation.



Technical specifications:

General Information

Type of power supply:	integrated, lifelong power supply
Battery included:	✓ yes
Types of detected threats:	smoke
Type of sensor:	photoelectric

Display:	× no
Test button:	✓ yes
Hush button :	✓ yes
Low battery indication:	✓ yes
Failure indication:	✓ yes
End of life indication:	✓ yes
Alarm volume (db):	≥85/3m
Life time of the sensor:	10 years
Compliance with standards:	EN 14604:2005/AC1:2008
Dimensions (width x height x depth [mm]):	Ø45 / 42
Other features:	BSI certificate